

Datasheet for 200-106-210

Glycerol-3-Phosphate Dehydrogenase Antibody Biotin Conjugated

Overview

Description:	Anti-Glycerol-3-Phosphate Dehydrogenase (GOAT) Antibody Biotin Conjugated (BULK ORDER) - 200-106-210
Item No.:	200-106-210
Size:	10 mg
Applications:	ELISA
Reactivity:	Rabbit
Host Species:	Goat

Product Details

Background:	Anti-Glycerol-3-Phosphate Dehydrogenase recognizes the enzyme glycerol-3-phosphate dehydrogenase, a major component of lipid biosynthesis. Glycerol-3-phosphate dehydrogenase catalyzes the reduction of dihydroxyacetone phosphate (DHAP) to glycerol-3-phosphate. In addition, it assists in maintaining the redox potential across the inner mitochondrial membrane in glycolysis. Glycerol-3-phosphate dehydrogenase can be found in the cytosol and the inner mitochondrial membrane. Anti-Glycerol-3-Phosphate Dehydrogenase is ideal for investigators interested in metabolism, cancer, and cardiovascular diseases.
Synonyms:	goat anti-Glycerol-3-Phosphate Dehydrogenase Antibody biotin Conjugation, biotin Conjugated goat anti-Glycerol-3-Phosphate Dehydrogenase Antibody, FLJ26652 antibody, G3PD antibody, Gdc-1 antibody, Glycerphosphate dehydrogenase antibody, GPD-C antibody, Gpd1 protein antibody
Host Species:	Goat
Conjugate:	Biotin
Clonality:	Polyclonal
Format:	IgG

Target Details

Gene Name:	GPD1
Reactivity:	Rabbit

Immunogen Type:	Native Protein
Immunogen:	Glycerol-3-Phosphate-Dehydrogenase [Rabbit Muscle]
Purity/Specificity:	Anti-Glycerol-3-Phosphate Dehydrogenase is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Biotin, anti-Goat Serum as well as purified and partially purified Glycerol-3-Phosphate-Dehydrogenase [Rabbit Muscle]. Cross reactivity against Glycerol-3-Phosphate-Dehydrogenase from other sources is unknown.
Relevant Links:	<ul style="list-style-type: none">• UniProtKB - P08507• NCBI - 3043365• GeneID - 100339469

Application Details

Tested Applications:	ELISA
Application Note:	Anti-Glycerol-3-Phosphate Dehydrogenase has been tested by ELISA and is assayed against 1.0 ug of Glycerol-3-Phosphate-Dehydrogenase in a standard capture ELISA using Peroxidase Conjugated Streptavidin #S000-03 and ABTS (2,2'-azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:1,000 to 1:5,000 of the reconstitution concentration is suggested for this product.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
ELISA:	1:5,000 - 1:25,000
WB:	1:500 - 1:3,000

Formulation

Physical State:	Lyophilized
Concentration:	10.0 mg/mL by UV absorbance at 280 nm
Buffer:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Preservative:	0.01% (w/v) Sodium Azide
Stabilizer:	10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free
Reconstitution Volume:	1.0 mL
Reconstitution Buffer:	Restore with deionized water (or equivalent)

Shipping & Handling

Shipping Condition: Ambient

Storage Condition: Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Expiration: Expiration date is one (1) year from date of receipt.

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.