

## Datasheet for 200-301-NJ4

**Feimin phospho T112 Antibody****Overview**

<b>Description:</b>	Anti-Feimin pT112 (MOUSE) Monoclonal Antibody - 200-301-NJ4
<b>Item No.:</b>	200-301-NJ4
<b>Size:</b>	100 µg
<b>Applications:</b>	ELISA, SDS-PAGE
<b>Reactivity:</b>	Mouse
<b>Host Species:</b>	Mouse Balb/c

**Product Details**

<b>Background:</b>	The Feimin protein, also known as UPF0461 protein or C5orf24, involves regulatory roles within the cell and its exact role is under investigation. Feimin is a newly discovered myokine that complements insulin by fine-tuning glucose levels and boosting exercise capacity, especially under conditions where insulin is less effective. Highly conserved Feimin functions in both glucose homeostasis and has a direct role in muscle thermogenesis. Feimin can be secreted by muscle and act as a myokine where it can affect tissues by engaging MERTK receptor thereby activating AKT. Cellular Feimin (cFeimin) functions as a transcription regulator by interacting with FOXC2 protein, where it helps to enhance exercise performance by reducing thermogenesis.
<b>Synonyms:</b>	Chromosome 5 Open Reading Frame 24, UPF0461 Protein C5orf24, FLJ37562, Feimin phospho antibody
<b>Host Species:</b>	Mouse Balb/c
<b>Clonality:</b>	Monoclonal
<b>Clone ID:</b>	20B12.B7.B6
<b>Format:</b>	IgG1

**Target Details**

<b>Gene Name:</b>	C5orf24
<b>Reactivity:</b>	Mouse
<b>Immunogen Type:</b>	Conjugated Peptide

<b>Immunogen:</b>	This phospho monoclonal antibody was prepared in mice after repeated immunizations with a synthetic peptide corresponding to residues surrounding T112 of mouse Feimin protein.
<b>Purity/Specificity:</b>	Anti-Feimin pT112 Monoclonal Antibody is Protein A purified. A BLAST analysis of the sequence of the immunogen shows 100% identity with mouse, human, and bovine. Reactivity against homologues from other sources is not known.
<b>Relevant Links:</b>	<ul style="list-style-type: none"><li>• <a href="#">NCBI - NP_001129058.1</a></li><li>• <a href="#">GeneID - 134553</a></li><li>• <a href="#">UniProtKB - Q7Z6I8-1 (human)</a></li><li>• <a href="#">UniProtKB - Q80X32 (mouse)</a></li></ul>

## Application Details

<b>Tested Applications:</b>	ELISA, SDS-PAGE
<b>Application Note:</b>	Anti-Feimin pT112 (MOUSE) Antibody has been tested by ELISA. Expect a band approximately 20.1kDa in size corresponding to phosphorylated C5orf24 protein by western blotting in the appropriate cell lysate or extract. Cell lines expressing feimin can be expected using appropriate tissues and lysates. Specific conditions for reactivity should be optimized by the end user.
<b>Assay Dilutions:</b>	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
<b>ELISA:</b>	1:69,000-1:169,000
<b>WB:</b>	User Optimized

## Formulation

<b>Physical State:</b>	Liquid (sterile filtered)
<b>Concentration:</b>	1.16 mg/mL by UV absorbance at 280 nm
<b>Buffer:</b>	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
<b>Preservative:</b>	0.01% (w/v) Sodium Azide
<b>Stabilizer:</b>	None


## Shipping & Handling

<b>Shipping Condition:</b>	Dry Ice
----------------------------	---------

**Storage Condition:** Store antibody at -20° C prior to opening. Aliquot contents and freeze at -20° C or below for extended storage. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. Antibody is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.


**Expiration:** Expiration date is one (1) year from date of receipt.

## Images



### SDS-PAGE

Coomassie stained SDS-PAGE results using Anti-Feimin pT112 (Mouse) Monoclonal Antibody (clone 20B12.B7.B6) separated in a 4-20% gradient gel. Lane 1: Anti-Feimin pT112 (clone 20B12.B7.B6) reduced [1.0µg]. Lane 2: Molecular weight standards. Lane 3: Anti-Feimin pT112 (clone 20B12.B7.B6) non-reduced [1.0µg]. Results show purity with no signs of degradation or aggregation.



### ELISA

ELISA results of Anti-Feimin pT112 (Mouse) Monoclonal Antibody Clone 20B12.B7.B6 . Each well was coated in duplicate with 1µg/mL of BSA conjugated Human Feimin [green] or BSA conjugated Human Feimin pT112 [blue]. The starting dilution of antibody was 5µg/mL and the X-axis represents the Log10 of a 3-fold dilution. This titration is a 4-parameter curve fit where the IC50 is defined as the titer of the antibody. The phospho antibody titer was 1:119,000. Assay performed using 3% Fish Gel in PBS (p/n MB-066), Rabbit Anti-Mouse IgG HRP conjugated (p/n 610-403-C46), and TMB substrate (p/n TMBE-1000).

## Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.