

Datasheet for 200-302-N61**CD8a Fluorescein Antibody****Overview**

Description:	Anti-CD8a (MOUSE) Fluorescein Conjugated Monoclonal Antibody - 200-302-N61
Item No.:	200-302-N61
Size:	500 µL
Applications:	FC
Reactivity:	Human
Host Species:	Mouse

Product Details

Background:	CD8a is a 32-34 kD type I glycoprotein. It forms a homodimer (CD8a/a) or heterodimer (CD8a/b) with CD8b. CD8, also known as T8 and Leu2, is a member of the immunoglobulin superfamily found on the majority of thymocytes, a subset of peripheral blood T cells, and NK cells (which express almost exclusively CD8a homodimers). CD8 acts as a co-receptor with MHC class I-restricted T cell receptors in antigen recognition and T cell activation and has been shown to play a role in thymic differentiation. Two domains in CD8a are important for function: the extracellular IgSF domain binds the $\alpha 3$ domain of MHC class I and the cytoplasmic CXCP motif binds the tyrosine kinase p56 Lck.
Synonyms:	T-cell surface glycoprotein CD8 alpha chain, T-lymphocyte differentiation antigen T8/Leu-2, CD8a
Host Species:	Mouse
Conjugate:	Fluorescein (FITC)
Clonality:	Monoclonal
Clone ID:	HIT8a
Format:	IgG1
F/P Ratio:	4-6

Target Details

Gene Name:	CD8A
-------------------	------

Reactivity:	Human
Immunogen:	Anti-CD8a Antibody (Monoclonal) was produced by repeated immunizations with CD8a antigen.
Purity/Specificity:	Fluorescein conjugated CD8a Monoclonal Antibody was purified from tissue culture supernatant via affinity chromatography and is directed against human CD8a. Reactivity is observed against human CD8a, Marmoset, and chimpanzee. This clone recognizes the alpha chain of CD85. It does not block the binding of RPA-T8 antibody to CD8a. Cross reactivity with CD8a from other sources has not been tested. Anti-CD8a is conjugated with FITC under optimal conditions and the solution is free of unconjugated FITC.
Relevant Links:	• UniProtKB - P01732 • NCBI - NP_001139345.1 • GeneID - 925

Application Details

Tested Applications:	FC
Application Note:	Anti-CD8a has been tested in Flow Cytometry and is useful for Immunohistochemistry. Researchers should determine optimal titers for applications that are not stated.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
FC:	5 ul/1x10e6 cells or 100µL of whole blood
IHC:	User Optimized

Formulation


Physical State:	Liquid (sterile filtered)
Buffer:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Preservative:	0.09% (w/v) Sodium Azide
Stabilizer:	0.2% BSA (w/v)

Shipping & Handling

Shipping Condition:	Wet Ice
Storage Condition:	Store vial at 4° C prior to opening. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. DO NOT FREEZE. This product is light sensitive.

Expiration: Expiration date is six (6) months from date of receipt.

Images



Flow Cytometry

Flow Cytometry of Mouse anti-CD8a Fluorescein Conjugated Monoclonal Antibody. Cells: human peripheral blood lymphocytes. Stimulation: none. Antibody: Fluorescein Anti-CD8a mouse antibody using 5 ul.

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.