

Datasheet for 200-326-N68**CD45 Allophycocyanin Antibody****Overview**

Description:	Anti-CD45 (MOUSE) Allophycocyanin Conjugated Monoclonal Antibody - 200-326-N68
Item No.:	200-326-N68
Size:	500 µL
Applications:	FC
Reactivity:	Human
Host Species:	Mouse

Product Details

Background:	The HI30 antibody reacts with human CD45, one of the most abundant hematopoietic markers and one that is expressed on all leukocytes (the Leukocyte Common Antigen, LCA). CD45 is a protein tyrosine phosphatase existing in several isoforms, each being generated and expressed in cell-specific patterns. With its broad cell distribution, CD45 is critical for many leukocyte functions, regulating signal transduction and cell activation associated with the T cell receptor, B cell receptor, and IL-2 receptor. Other forms of CD45, with restricted cellular expression, include CD45R (B220), CD45RA, CD45RB, CD45RO and others. The HI30 antibody is widely used as a marker for human CD45 expression on T cells, B cells, monocytes, macrophages, and NK cells.
Synonyms:	Receptor-type tyrosine-protein phosphatase C, Leukocyte common antigen, CD45, PTPRC
Host Species:	Mouse
Conjugate:	Allophycocyanine (APC)
Clonality:	Monoclonal
Clone ID:	HI30
Format:	IgG1
F/P Ratio:	1-2

Target Details

Gene Name:	PTPRC
Reactivity:	Human

Immunogen:	Anti-CD45 Antibody (Monoclonal) was produced by repeated immunizations with CD45 antigen.
Purity/Specificity:	Allophycocyanin conjugated CD45 Monoclonal Antibody was purified from tissue culture supernatant via affinity chromatography and is directed against human CD45. Reactivity is observed against human CD45. Cross reactivity is observed with Chimpanzee. Reactivity with CD45 from other sources has not been tested. Anti-CD45 is conjugated with APC under optimal conditions and the solution is free of unconjugated APC.
Relevant Links:	• UniProtKB - P08575 • NCBI - NP_002829.3 • GenelD - 5788

Application Details

Tested Applications:	FC
Application Note:	Anti-CD45 is tested for Flow Cytometry and is useful in Immunohistochemistry and Western Blotting. Researchers should determine optimal titers for applications that are not stated.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
FC:	5 uL/test/1x10e5 to 1x10e8 cells
IHC:	User Optimized
WB:	User Optimized

Formulation


Physical State:	Liquid (sterile filtered)
Concentration:	0.025 mg/mL Sufficient to run approximately 100 tests
Buffer:	0.01 M Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Preservative:	0.09% (w/v) Sodium Azide
Stabilizer:	0.1% Gelatin

Shipping & Handling

Shipping Condition:	Wet Ice
Storage Condition:	Store vial at 4° C prior to opening. Dilute only prior to immediate use. This product is stable at 4° C as an undiluted liquid. Use subdued lighting during handling and incubation of cells prior to analysis. Store reagent in the dark. DO NOT FREEZE.

Expiration: Expiration date is six (6) months from date of receipt.

Images



Flow Cytometry

Flow Cytometry of Mouse anti-CD45 Allophycocyanin Conjugated Monoclonal Antibody. Cells: Human peripheral blood lymphocytes. Stimulation: none. Antibody: Allophycocyanin Mouse IgG1 isotype [Control - Dotted Line]; Allophycocyanin Anti-CD45 (Blue Line) using 5 μ L.

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.