

Datasheet for 200-326-N93**NK1.1 Allophycocyanin Antibody****Overview**

Description:	Anti-NK1.1 (MOUSE) Allophycocyanin Conjugated Monoclonal Antibody - 200-326-N93
Item No.:	200-326-N93
Size:	100 µg
Applications:	FC
Reactivity:	Mouse
Host Species:	Mouse

Product Details

Background:	The PK136 antibody is specific for mouse NK1.1, a type II transmembrane lectin-like receptor and member of the killer cell lectin-like receptor (KLR) family. NK1.1 is prominently expressed on natural killer (NK) cells, and is correlated with NK cytotoxic effects toward virus-infected cells and tumor cells. NK1.1 is expressed on subsets of NKT cells in certain mouse strains (C57BL/6, FVB/N, and NZB), yet absent from others (AKR, BALB/c, CBA/J, C3H, DBA/1, DBA/2, NOD, SJL, and 129). Putative subsets of NK cells and their expression of NK1.1 antigen are of continuing interest, including NK1.1+/CD117+ (c-Kit) cells reported to be immunosuppressive for CD8+ T cells in a mechanism involving PD-1 and PD-L1. The PK136 antibody may be used for detection of NK1.1 expression on mouse strains including CE, B6, NZB, C58, Ma/My, ST, SJL, and FVB. The antibody is reported to react with an epitope common to NKR-P1B and NKR-P1C alloantigenic forms of NK1.1.
Synonyms:	Killer cell lectin-like receptor subfamily B member 1C, CD161 antigen-like family member C, Lymphocyte antigen 55c, Ly-55c, NK1.1, NKR-P1.9, NKR-P1C, Natural killer cell surface protein P1-40, NKR-P1 40, CD161c, Klrb1c, Ly55c, Nkrp1c
Host Species:	Mouse
Conjugate:	Allophycocyanine (APC)
Clonality:	Monoclonal
Clone ID:	PK136
Format:	IgG2a
F/P Ratio:	1-2

Target Details

Gene Name:	Klrb1c
Reactivity:	Mouse
Immunogen:	Anti-NK1.1 Antibody (Monoclonal) was produced by repeated immunizations with NK1.1 antigen.
Purity/Specificity:	Allophycocyanin conjugated NK1.1 Monoclonal Antibody was purified from tissue culture supernatant via affinity chromatography and is directed against mouse NK1.1. Cross reactivity with NK1.1 from other sources has not been tested. Anti-NK1.1 is conjugated with APC under optimal conditions and the solution is free of unconjugated APC.
Relevant Links:	• UniProtKB - P27814 • NCBI - NP_001153376.1 • GeneID - 17059

Application Details

Tested Applications:	FC
Application Note:	Anti-NK1.1 is tested in Flow Cytometry useful for Immunohistochemistry, Immunoprecipitation, Immunofluorescence using mouse spleen cells, or an appropriate cell type (where indicated). Researchers should determine optimal titers for applications that are not stated.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
FC:	10 μ L/10 ⁶ cells (0.1 μ g)
IF:	User Optimized
IHC:	User Optimized
IP:	User Optimized

Formulation

Physical State:	Liquid (sterile filtered)
Concentration:	0.2 mg/mL by UV absorbance at 280 nm
Buffer:	0.01 M Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Preservative:	0.09% (w/v) Sodium Azide

Stabilizer: 0.1% Gelatin


Shipping & Handling

Shipping Condition: Wet Ice

Storage Condition: Store vial at 4° C prior to opening. Dilute only prior to immediate use. This product is stable at 4° C as an undiluted liquid. Use subdued lighting during handling and incubation of cells prior to analysis. Store reagent in the dark. DO NOT FREEZE.

Expiration: Expiration date is six (6) months from date of receipt.

Images



Flow Cytometry

Flow Cytometry of anti-NK1.1 Allophycocyanin Conjugated Monoclonal Antibody. Cells: C57BL/6 mouse splenocytes. Stimulation: none. Antibody: (Left panel) CD3e FITC and APC Mouse IgG2a isotype control 0.125µg; (Right panel) CD3e FITC and Allophycocyanin Anti-NK1.1 antibody 0.125µg.

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.