

## Datasheet for 200-6337S

## Glucose Oxidase Antibody Peroxidase Conjugated

### Overview

<b>Description:</b>	Anti-Glucose Oxidase (SHEEP) Antibody Peroxidase Conjugated - 200-6337S
<b>Item No.:</b>	200-6337S
<b>Size:</b>	25 µL
<b>Applications:</b>	Dot Blot
<b>Reactivity:</b>	Aspergillus niger
<b>Host Species:</b>	Sheep

### Product Details

<b>Background:</b>	Glucose oxidase is an enzyme that drives the oxidation of glucose into hydrogen peroxide and D-glucono- $\delta$ -lactone. This activity is utilized in biotechnology through colorimetric detection assays that are sensitive to the amount of hydrogen peroxide produced. Horseradish Peroxidase (HRP) is an enzyme that utilizes organic peroxide compounds as electron donors. Horseradish Peroxidase naturally provides protection for plants against pathogens, but can be utilized in molecular biology to convert various substrates to detectable compounds (such as in Western Blotting and ELISAs). Anti-Glucose Oxidase (Sheep) antibody is ideal for investigators in Microbiology, Immunology, and Cell Biology research.
<b>Synonyms:</b>	sheep anti-Glucose Oxidase HRP conjugated Antibody, peroxidase conjugated sheep anti-Glucose Oxidase Antibody, Beta D Glucose Oxygen 1 Oxido Reductase antibody, Glucose oxidase (Precursor) antibody, Glucose Oxyhydrase antibody, GOD antibody
<b>Host Species:</b>	Sheep
<b>Conjugate:</b>	Peroxidase (HRP)
<b>Clonality:</b>	Polyclonal
<b>Format:</b>	IgG

### Target Details

<b>Gene Name:</b>	gox
<b>Reactivity:</b>	Aspergillus niger
<b>Immunogen Type:</b>	Native Protein

<b>Immunogen:</b>	Glucose Oxidase [Aspergillus niger]
<b>Purity/Specificity:</b>	Anti-Glucose Oxidase (Sheep) antibody is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Sheep Serum as well as purified and partially purified Glucose Oxidase [Aspergillus niger]. Cross reactivity against Glucose Oxidase from other tissues and species may occur but have not been specifically determined.
<b>Relevant Links:</b>	<ul style="list-style-type: none"><li>• <a href="#">UniProtKB - P13006</a></li><li>• <a href="#">NCBI - P13006.1</a></li></ul>

## Application Details

<b>Tested Applications:</b>	Dot Blot
<b>Application Note:</b>	Anti-Glucose Oxidase peroxidase conjugated antibody has been tested by dot blot and is suitable to be assayed against 1.0 ug of Glucose Oxidase [Aspergillus niger] in a standard capture ELISA using ABTS (2,2'-azino-bis-[3-ethylbenzothiazoline-6-sulfonic acid]) as a substrate for 30 minutes at room temperature. A working dilution of 1:1,000 to 1:3,000 of the reconstitution concentration is suggested for this product.
<b>Assay Dilutions:</b>	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
<b>WB:</b>	User Optimized

## Formulation

<b>Physical State:</b>	Liquid (sterile filtered)
<b>Concentration:</b>	1.0 mg/mL by UV absorbance at 280 nm
<b>Buffer:</b>	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
<b>Preservative:</b>	0.01% (w/v) Gentamicin Sulfate. Do NOT add Sodium Azide!
<b>Stabilizer:</b>	10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free


## Shipping & Handling

<b>Shipping Condition:</b>	Dry Ice
----------------------------	---------

**Storage Condition:** Store vial at -20° C or below prior to opening. This vial contains a relatively low volume of reagent (25 µL). To minimize loss of volume dilute 1:10 by adding 225 µL of the buffer stated above directly to the vial. Recap, mix thoroughly and briefly centrifuge to collect the volume at the bottom of the vial. Use this intermediate dilution when calculating final dilutions as recommended below. Store the vial at -20°C or below after dilution. Avoid cycles of freezing and thawing.

**Expiration:** Expiration date is one (1) year from date of receipt.

## Images



### Dot Blot

Dot Blot of Sheep Anti-GLUCOSE OXIDASE Antibody Peroxidase Conjugated. Lane 1: 100 ng Glucose Oxidase. Lanes 2-5: serial dilution 3 fold of Antigen. Primary Antibody: none. Secondary Antibody: Anti-Glucose Oxidase Peroxidase Conj'd (p/n 200-6337-0100) at 1:100 dilution of 1 mg/mL at RT for 30 minutes. Block: MB-070 at RT for 30 minutes.

## Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.