

Datasheet for 209-301-B32**IL-17A Antibody****Overview**

Description:	Anti-Human IL-17A (MOUSE) Monoclonal Antibody - 209-301-B32
Item No.:	209-301-B32
Size:	100 µg
Applications:	WB
Reactivity:	Human
Host Species:	Mouse

Product Details

Background:	IL17-A (also known as Interleukin-17) is a proinflammatory cytokine produced by activated T cells. This cytokine regulates the activities of NF-kappaB and mitogen-activated protein kinases. This cytokine can stimulate the expression of IL6 and cyclooxygenase-2 (PTGS2/COX-2), as well as enhance the production of nitric oxide (NO). High levels of this cytokine are associated with several chronic inflammatory diseases including rheumatoid arthritis, psoriasis and multiple sclerosis. IL17-A is the founding member of a group of cytokines called the IL17 family. IL17-A was originally identified as a transcript from a rodent T-cell hybridoma. To elicit its functions, IL17 binds to a type I cell surface receptor called IL17R of which there are at least three variants IL17RA, IL17RB, and IL17RC. Anti-IL-17A antibody is ideal for investigators involved in Immunology research.
Synonyms:	mouse anti-Interleukin-17A antibody, mouse anti-IL-17A antibody, IL-17A, Interleukin-17A, Cytotoxic T-Lymphocyte-associated Antigen 8, CTLA8, Interleukin-17, IL17, IL-17, Interleukin17
Host Species:	Mouse
Clonality:	Monoclonal
Clone ID:	4H1524.1
Format:	IgG2b

Target Details

Gene Name:	IL17A
Reactivity:	Human

Immunogen Type:	Recombinant Protein
Immunogen:	Anti-IL-17A (MOUSE) Monoclonal Antibody was produced in mouse by repeated immunizations with mature full length recombinant human IL-17A produced in E.coli followed by hybridoma development.
Purity/Specificity:	Anti-Human IL-17A (MOUSE) Monoclonal Antibody was purified from concentrated tissue culture supernate by Protein G chromatography followed by extensive dialysis against the buffer stated above. This antibody is specific for human IL-17A protein. A BLAST analysis was used to suggest cross-reactivity with IL-17A from human sources based on 100% homology with the immunizing sequence. Cross-reactivity with IL-17A from other sources has not been determined.
Relevant Links:	• NCBI • UniProtKB - Q16552 • GeneID - 3605

Application Details

Tested Applications:	WB
Application Note:	Anti-Human IL-17A antibody has been tested for use in Western Blot and suitable in FLOW. Specific conditions for reactivity should be optimized by the end user.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
ELISA:	1:10,000-1:50,000
FC:	User Optimized
WB:	1µg/mL


Formulation

Physical State:	Liquid (sterile filtered)
Concentration:	1.00 mg/ml by UV absorbance at 280 nm
Buffer:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Preservative:	0.01% (w/v) Sodium Azide
Stabilizer:	None

Shipping & Handling


Shipping Condition:	Dry Ice
Storage Condition:	Store vial at -20° C prior to opening. Aliquot contents and freeze at -20° C or below for extended storage. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.
Expiration:	Expiration date is one (1) year from date of receipt.

Images



Western Blot

Western Blot of Mouse Anti-IL-17A antibody. Lane 1: human full length recombinant IL-17A protein. Lane 2: mouse full length recombinant IL-17A protein. Lane 3: rat full length recombinant IL-17A protein. Load: 20 ng/lane. Primary antibody: Anti-IL-17A antibody at 1ug/mL for overnight at 4°C.



Western Blot

Western Blot results of Mouse Anti-IL-17A Antibody. Lane 1: Opal Prestained Molecular Weight Ladder (p/n MB-210-0500). Lane 2: IL-17A. Load: 50ng. Primary Antibody: Mouse Anti-IL-17A at 1µg/mL overnight at 4°C. Secondary Antibody: Rabbit anti-Mouse HRP (p/n 610-403-C26) at 1:40,000 for 30min at RT. Blocking: BlockOut (p/n MB-073) for 30 min at RT.

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.