

**Datasheet for 600-401-867****Swi6 Antibody****Overview**

<b>Description:</b>	Anti-Swi6 (S.pombe) (RABBIT) Antibody - 600-401-867
<b>Item No.:</b>	600-401-867
<b>Size:</b>	100 µg
<b>Applications:</b>	ELISA, WB
<b>Reactivity:</b>	S. pombe
<b>Host Species:</b>	Rabbit

**Product Details**

<b>Background:</b>	Swi6 is also known as chromatin-associated swi6 protein and repression of silent mating type loci protein. This protein recognizes and binds to histone H3 tails that are methylated at Lys-9, leading to epigenetic repression. Swi6 is also involved in the repression of the silent mating-type loci MAT2 and MAT3 and it may be responsible for the compaction of MAT2/3 into a heterochromatin-like conformation which represses the transcription of these silent cassettes. Swi6 also interacts with the cohesion subunit psc3. Swi6 has a nuclear localization and contains 2 chromo domains.
<b>Synonyms:</b>	rabbit anti-Swi6 antibody, Chromatin-associated protein swi6, swi-6, swi 6, SPAC664.01c, SPAC824.10c
<b>Host Species:</b>	Rabbit
<b>Clonality:</b>	Polyclonal
<b>Format:</b>	IgG

**Target Details**

<b>Gene Name:</b>	swi6
<b>Reactivity:</b>	S. pombe
<b>Immunogen Type:</b>	Conjugated Peptide
<b>Immunogen:</b>	This anti-Swi6 Antibody was prepared from whole rabbit antiserum produced by repeated immunizations with a synthetic peptide corresponding aa 314-328 of S.pombe Swi6 protein.

**Purity/Specificity:** Swi6 Antibody is an affinity purified antibody produced by immunoaffinity chromatography using peptide coupled to agarose beads followed by solid phase adsorption to remove any unwanted reactivities. BLAST analysis indicates that cross reactivity with homologues of this protein from other sources is not likely.

**Relevant Links:**

- [UniProtKB - P40381](#)
- [NCBI - 19114361](#)
- [GeneID - 2541633](#)

## Application Details

**Tested Applications:** ELISA, WB

**Application Note:** This affinity purified antibody has been tested for use in ELISA and by western blot. Specific conditions for reactivity should be optimized by the end user. Expect a band approximately 37 kDa in size corresponding to Swi6 protein by western blotting in the appropriate cell lysate or extract.

**Assay Dilutions:** All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.

**ELISA:** 1:5,000 - 1:30,000

**WB:** 1:500 - 1:3,000

## Formulation

**Physical State:** Liquid (sterile filtered)

**Concentration:** 1.0mg/mL by UV absorbance at 280 nm

**Buffer:** 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

**Preservative:** 0.01% (w/v) Sodium Azide

**Stabilizer:** None

## Shipping & Handling

**Shipping Condition:** Dry Ice

**Storage Condition:** Store Swi6 Antibody at -20° C prior to opening. Aliquot contents and freeze at -20° C or below for extended storage. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

**Expiration:** Expiration date is one (1) year from date of receipt.

## Images




### Western Blot

Western blot analysis is shown using Rockland's Affinity Purified anti-Swi6 antibody to detect endogenous protein present in *S.pombe* lysate (arrowhead). Comparison to a molecular weight marker (not shown) indicates a band of ~43 kDa corresponding to *S.pombe* Swi6 protein. ~35µg of lysate was loaded per lane onto a 4-20% gradient gel for SDS-PAGE followed by transfer to 0.45 µm nitrocellulose. The blot was incubated with a 1:1,700 dilution of the antibody at room temperature for 2 h followed by detection using IRDye™800 labeled Goat-a-Rabbit IgG [H&L] (611-132-122) diluted 1:5,000 for 45 min. IRDye™800 fluorescence image was captured using the Odyssey® Infrared Imaging System developed by LI-COR. IRDye is a trademark of LI-COR, Inc. Other detection systems will yield similar results.

### SDS-PAGE

The distribution of Ndc80, Cnp1, and Swi6 proteins are indicated in relation to the observed centromeric anchor and heterochromatin structures. See Kniola et al for additional details.



## References

- Nucleic Acids Res. Phosphorylation of HP1/Swi6 relieves competition with Suv39/Clr4 on nucleosomes and enables H3K9 trimethyl spreading. *Kennedy DR et al.* (2025)

## Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.