Order online now!

www.rockland.com
tech@rockland.com
+1 484.791.3823

Datasheet for 600-401-971

Cyclin E2 Antibody

Overview

Description:	Anti-Cyclin E2 (RABBIT) Antibody - 600-401-971
Item No.:	600-401-971
Size:	100 µg
Applications:	ELISA, WB
Reactivity:	Human, Mouse
Host Species:	Rabbit

Product Details

Background:	This antibody is designed, produced, and validated as part of a collaboration between Rockland and the National Cancer Institute (NCI) and is suitable for Cancer, Immunology and Nuclear Signaling research. Cyclin E was first identified by its ability to rescue growth of yeast deficient in G1 Cyclins, indicating a role in G1 or G1/S transitions. Over-expression of Cyclin E has been observed in a variety of human tumors. Multiple isoforms of Cyclin E are expressed in tumors but not in normal tissues, suggesting a post-transcriptional regulation of Cyclin E. Cyclin E2 associates with Cdk2 in a functional kinase complex that is inhibited by both p27Kip1 and p21Cip1. The catalytic activity associated with Cyclin E2 complexes is cell cycle regulated and peaks at the G1/S transition. Unlike Cyclin E1, which is expressed in most proliferating normal and tumor cells, Cyclin E2 levels were low to undetectable in non-transformed cells and increased significantly in tumor-derived cells.
Synonyms:	rabbit anti-Cyclin E2 antibody, G1/S-specific cyclin-E2, CCNE2
Host Species:	Rabbit
Clonality:	Polyclonal
Format:	IgG

Target Details

Gene Name:	Ccne2
Reactivity:	Human, Mouse
Immunogen Type:	Conjugated Peptide

Immunogen:	This affinity purified antibody was prepared from whole rabbit serum produced by repeated immunizations with a synthetic peptide corresponding to amino acids at the carboxyl terminus of the Cyclin E2 protein.
Purity/Specificity:	This affinity purified antibody is directed against mouse Cyclin E2 protein. The product was affinity purified from monospecific antiserum by immunoaffinity chromatography. A BLAST analysis was used to suggest cross-reactivity with Cyclin E2 protein from human based on 100% homology with the immunizing sequence. Cross-reactivity with Cyclin E2 from rat is also predicted based on a 91% homology with the immunizing sequence. Reactivity against homologues from other sources is not known.
Relevant Links:	• UniProtKB - Q9Z238 • NCBI - 3769612 • GeneID - 12448

Application Details

Tested Applications:	ELISA, WB
Application Note:	This affinity purified antibody has been tested for use in ELISA and western blotting. Specific conditions for reactivity should be optimized by the end user. Expect a band approximately 50 kDa in size corresponding to Cyclin E2 protein by western blotting in the appropriate cell lysate or extract.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
ELISA:	1:20,000 - 1:85,000
IP:	1:100
WB:	1:200 - 1:2,000

Formulation

Physical State:	Liquid (sterile filtered)
Concentration:	1.17 mg/mL by UV absorbance at 280 nm
Buffer:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Preservative:	0.01% (w/v) Sodium Azide
Stabilizer:	None

Shipping & Handling

Shipping Condition:	Dry Ice
Storage Condition:	Store vial at -20° C prior to opening. Aliquot contents and freeze at -20° C or below for extended storage. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.
Expiration:	Expiration date is one (1) year from date of receipt.

Images



Western Blot
Western blot using Rockland's affinity purified anti-Cyclin E2 antibody shows specific detection of Cyclin E2. Cell extracts over-expressing mouse Cyclin E1 (lane 1) and Cyclin E2 (lane 2) were electrophoresed, transferred to nitrocellulose, and probed with the anti-Cyclin E2 antibody. The affinity purified antibody also detects endogenous Cyclin E2 in Skp2-/- MEF cells. (data not shown). Personal Communication, Philipp Kaldis, CCR-NCI, Frederick, MD.

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.