

Datasheet for 600-401-BH9**FXYP7 Antibody****Overview**

Description:	Anti-FXYP7 (RABBIT) Antibody - 600-401-BH9
Item No.:	600-401-BH9
Size:	100 µg
Applications:	ELISA, IF, IHC, WB
Reactivity:	Human, Mouse, Rat
Host Species:	Rabbit

Product Details

Background:	FXYP7 is a member of a family of small membrane proteins that share a 35-amino acid signature sequence domain, beginning with the sequence PFXYP and containing seven invariant and six highly conserved amino acids. The FXYP proteins are tissue-specific regulators of Na, K-ATPase, with FXYP7 initially identified as a brain-specific member. FXYP7 interacts with Na, K-ATPase through its transmembrane domain and is thought to influence the affinity of Na, K-ATPase for external K ⁺ and Na ⁺ ions. Other members of the FXYP family have similar functions: FXYP2 regulates the properties of Na, K-ATPase, while FXYP1 (phospholemman), FXYP3 (MAT-8), FXYP4 (CHIF), and FXYP5 (RIC) have been shown to induce channel activity in experimental expression systems.
Synonyms:	FXYP7 Antibody, FXYP domain-containing ion transport regulator 7
Host Species:	Rabbit
Clonality:	Polyclonal
Format:	IgG

Target Details

Gene Name:	FXYP7
Reactivity:	Human, Mouse, Rat
Immunogen Type:	Conjugated Peptide
Immunogen:	Anti-FXYP7 antibody was prepared from whole rabbit serum produced by repeated immunizations with a 17 amino acid synthetic peptide near the N-terminus of human FXYP7.

Purity/Specificity: Anti-FXYD7 Antibody was affinity purified from monospecific antiserum by immunoaffinity chromatography. FXYD7 antibody is human, mouse and rat reactive. FXYDY7 antibody is predicted to not react with other members of the FXDY protein family

Relevant Links:

- [UniProtKB - P58549](#)
- [GeneID - 53822](#)
- [NCBI - AAH18619](#)

Application Details

Tested Applications: ELISA, IF, IHC, WB

Application Note: Anti-FXYD7 Antibody has been tested for use in ELISA, Western Blotting, Immunohistochemistry and Immunofluorescence. Specific conditions for reactivity should be optimized by the end user. Expect a band at approximately 9 kDa in Western Blots of specific cell lysates and tissues.

Assay Dilutions: All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.

ELISA: 1:10,000

IF: 20 µg/mL

IHC: 2.5 µg/mL

WB: 1 µg/mL

Formulation

Physical State: Liquid (sterile filtered)

Concentration: 1.0 mg/mL by UV absorbance at 280 nm

Buffer: 0.01 M Sodium Phosphate, 0.25 M Sodium Chloride, pH 7.2

Preservative: 0.02% (w/v) Sodium Azide

Stabilizer: None


Shipping & Handling

Shipping Condition: Dry Ice

Storage Condition: Store vial at -20° C prior to opening. Aliquot contents and freeze at -20° C or below for extended storage. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.


Expiration:

Expiration date is one (1) year from date of receipt.

Images**Immunohistochemistry**


Immunohistochemistry of FXYD7.

Tissue: rat lung tissue. Primary Antibody: FXYD7 antibody at 2.5 µg/mL.

**Western Blot**

Western blot analysis of FXYD7. Load: human lung tissue lysate.

Primary Antibody: FXYD7 antibody at 1 µg/mL.

**Immunofluorescence Microscopy**

Immunofluorescence of FXD4.

Tissue: rat lung tissue. Primary Antibody: FXD4 antibody at 20 µg/mL.

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.