

Datasheet for 600-401-GD8**ZIMP10 Antibody****Overview**

Description:	Anti-ZIMP10 (RABBIT) Antibody - 600-401-GD8
Item No.:	600-401-GD8
Size:	100 µg
Applications:	ELISA, IF, IHC, WB
Reactivity:	Human
Host Species:	Rabbit

Product Details

Background:	ZIMP10, also known as ZMIZ1, is a novel PIAS (protein inhibitor of activated signal transducer and activator of transcription)-like protein initially identified as a transcriptional co-activator of the androgen receptor (AR). ZIMP10 and the related protein ZIMP7 interact with PIAS3 and enhances AR-mediated transcription. Later experiments showed that ZIMP10 is also a co-activator of the p53 tumor suppressor. Mice deficient in ZIMP10 result in embryonic lethality by E10.5; these embryos reveal severe defects in the reorganization of the yolk sac vascular plexus, indicating that ZIMP10 plays an important role in proper vascular development.
Synonyms:	ZIMP10 Antibody, MIZ, RAI17, ZIMP10, hZIMP10, TRAFIP10, KIAA1224, Zinc finger MIZ domain-containing protein 1, PIAS-like protein Zimp10
Host Species:	Rabbit
Clonality:	Polyclonal
Format:	IgG

Target Details

Gene Name:	ZMIZ1
Reactivity:	Human
Immunogen Type:	Conjugated Peptide
Immunogen:	Anti-ZIMP10 antibody was prepared from whole rabbit serum produced by repeated immunizations with a 15 amino acid synthetic peptide near the N-terminus of human ZIMP10.

Purity/Specificity: Anti-ZIMP10 Antibody was affinity purified from monospecific antiserum by immunoaffinity chromatography. At least three isoforms are known to exist; this antibody will recognize all three. ZIMP10 antibody is predicted to not cross-react with other PIAS protein family members.

Relevant Links:

- [UniProtKB - Q9ULJ6](#)
- [GeneID - 57178](#)
- [NCBI - NP_065071.1](#)

Application Details

Tested Applications: ELISA, IF, IHC, WB

Application Note: Anti-ZIMP10 Antibody has been tested for use in ELISA, Western Blotting, Immunocytochemistry and Immunofluorescence. Specific conditions for reactivity should be optimized by the end user. Expect a band at approximately 115 kDa in Western Blots of specific cell lysates and tissues.

Assay Dilutions: All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.

ELISA: 1:5,000

IF: 20 µg/mL

WB: 0.5 µg/mL

Formulation

Physical State: Liquid (sterile filtered)

Concentration: 1 mg/mL by UV absorbance at 280 nm

Buffer: 0.01 M Sodium Phosphate, 0.25 M Sodium Chloride, pH 7.2

Preservative: 0.02% (w/v) Sodium Azide

Stabilizer: None


Shipping & Handling

Shipping Condition: Dry Ice

Storage Condition: Store vial at -20° C prior to opening. Aliquot contents and freeze at -20° C or below for extended storage. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Expiration: Expiration date is one (1) year from date of receipt.

Images



Immunofluorescence Microscopy

Immunofluorescence of ZIMP10.

Cell: K562 cells.

Primary Antibody: ZIMP10 antibody at 20 µg/mL.




Immunocytochemistry

Immunocytochemistry of ZIMP10.

Cell: K562 cells.

Primary Antibody: ZIMP10 antibody at 10 µg/mL.



Western Blot

Western blot analysis of ZIMP10.

Cell: K562 cell lysate.

Primary Antibody: ZIMP10 antibody at 0.5 µg/mL in (A) the absence and (B) the presence of blocking peptide

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.