

Datasheet for 600-401-GF7**ZMYM2 Antibody****Overview**

Description:	Anti-ZMYM2 (RABBIT) Antibody - 600-401-GF7
Item No.:	600-401-GF7
Size:	100 µg
Applications:	ELISA, IF, IHC, WB
Reactivity:	Human, Mouse, Rat
Host Species:	Rabbit

Product Details

Background:	Zinc-finger proteins contain DNA-binding domains characterized by the unique role of zinc and have a wide variety of functions such as transcriptional activation or repression. The protein folding and the DNA binding ability are governed by the coordination of a zinc ion. As a member of the MYM (myeloproliferative and mental retardation) gene family, ZMYM1 is widely expressed in different tissues in eukaryotes under several forms derived by alternative splicing. While its function remains unknown, the related protein ZMYM2 has been shown to associate with and stabilize the LSD1-CoREST-HDAC1 (LCH) complex of chromatin through its MYM-type zinc fingers, thereby enhancing the transcriptional repression of several genes, suggesting that ZMYM1 may play a similar role.
Synonyms:	ZMYM2 Antibody, FIM, MYM, RAMP, SCLL, ZNF198, FIM, Zinc finger MYM-type protein 2, Fused in myeloproliferative disorders protein
Host Species:	Rabbit
Clonality:	Polyclonal
Format:	IgG

Target Details

Gene Name:	ZMYM2
Reactivity:	Human, Mouse, Rat
Immunogen Type:	Conjugated Peptide

Immunogen:	Anti-ZMYM1 antibody was prepared from whole rabbit serum produced by repeated immunizations with a 17 amino acid synthetic peptide near the C-terminus of human ZMYM1.
Purity/Specificity:	Anti-ZMYM2 Antibody was affinity purified from monospecific antiserum by immunoaffinity chromatography. At least two isoforms of ZMYM1 are known to exist; this antibody will detect only the shorter isoform. ZMYM1 antibody is predicted to not cross-react with other ZMYM protein family members.
Relevant Links:	• UniProtKB - Q9UBW7 • GeneID - 7750 • NCBI - NP_001177893.1

Application Details

Tested Applications:	ELISA, IF, IHC, WB
Application Note:	Anti-ZMYM2 Antibody has been tested for use in ELISA, Western Blotting, Immunocytochemistry and Immunofluorescence. Specific conditions for reactivity should be optimized by the end user. Expect a band at approximately 155 kDa in Western Blots of specific cell lysates and tissues.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
ELISA:	1:1000 - 1:2500
IF:	20 µg/mL
WB:	0.125-0.25 µg/mL

Formulation

Physical State:	Liquid (sterile filtered)
Concentration:	1 mg/mL by UV absorbance at 280 nm
Buffer:	0.01 M Sodium Phosphate, 0.25 M Sodium Chloride, pH 7.2
Preservative:	0.02% (w/v) Sodium Azide
Stabilizer:	None


Shipping & Handling

Shipping Condition:	Dry Ice
----------------------------	---------

Storage Condition: Store vial at -20° C prior to opening. Aliquot contents and freeze at -20° C or below for extended storage. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Expiration: Expiration date is one (1) year from date of receipt.

Images



Immunofluorescence Microscopy

Immunofluorescence of ZMYM2.

Cell: HeLa cells.

Primary Antibody: ZMYM2 antibody at 20 µg/mL.




Immunocytochemistry

Immunocytochemistry of ZMYM2.

Cell: HeLa cells.

Primary Antibody: ZMYM2 antibody at 10 µg/mL.

**Western Blot**

Western blot analysis of ZMYM2.

Cell: EL4 cell lysate.

Primary Antibody: ZMYM2 antibody at (A) 0.125 μ g/mL and (B) 0.25 μ g/mL.

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.