

Datasheet for 600-401-J41**Calreticulin precursor Antibody****Overview**

Description:	Anti-Calreticulin Precursor (RABBIT) Antibody - 600-401-J41
Item No.:	600-401-J41
Size:	100 µg
Applications:	ELISA, WB
Reactivity:	Human
Host Species:	Rabbit

Product Details

Background:	Calreticulin is the major calcium binding protein found in smooth muscle sarcoplasmic reticulum (SR) and non-muscle endoplasmic reticulum (ER) membranes. This protein was originally identified in SR membranes and plays a minor role in calcium storage in skeletal and cardiac muscle SR. Calreticulin is also known as calregulin, CRP55, CaBP3, calsequestrin-like protein and Ro/SS-A antigen. Calreticulin binds calcium with low affinity and high capacity, however it also exhibits a single high affinity binding site. The highly conserved sequence Lys-Asp-Glu-Leu (KDEL) is present at the C-terminus of calreticulin and other resident ER proteins including glucose regulated protein 78 (GRP78), GRP94 and protein disulfide isomerase (PDI). This sequence is responsible for the retention of newly synthesized proteins within the ER lumen. This retention is reported to be mediated by a KDEL receptor. Recent reports indicate that calreticulin can act as a modulator of the regulation of gene transcription by nuclear hormone receptors and may also act as a molecular chaperone.
Synonyms:	rabbit anti-Calreticulin precursor Antibody, rabbit anti-Calreticulin Antibody, CRP55, Calregulin, Endoplasmic reticulum resident protein 60, Calreticulin precursor, CRTC, gpr60, CALR, grp60, HACBP, erp60
Host Species:	Rabbit
Clonality:	Polyclonal
Format:	IgG

Target Details

Gene Name:	CALR
-------------------	------

Reactivity:	Human
Immunogen Type:	Conjugated Peptide
Immunogen:	Calreticulin precursor affinity purified antibody was prepared from whole rabbit serum produced by repeated immunizations with a synthetic peptide corresponding to the C-terminus of human calreticulin precursor protein.
Purity/Specificity:	Anti-Calreticulin Precursor was affinity purified from monospecific antiserum by immunoaffinity chromatography. A BLAST analysis was used to suggest cross-reactivity with human, mouse, rat, primate, and chicken based on 100% sequence homology. Cross-reactivity with Calreticulin Precursor from other sources has not been determined.
Relevant Links:	• UniProtKB - P27797

Application Details

Tested Applications:	ELISA, WB
Application Note:	Anti-Calreticulin Precursor antibody has been tested in ELISA and western blot and is useful for immunohistochemistry. Specific conditions for reactivity should be optimized by the end user. Expect a band approximately ~48kDa corresponding to the appropriate cell lysate or extract.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
ELISA:	1: 10,000
IHC:	User Optimized
WB:	0.2µg/mL

Formulation

Physical State:	Liquid (sterile filtered)
Concentration:	0.42mg/mL by UV absorbance at 280 nm
Buffer:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Preservative:	0.01% (w/v) Sodium Azide
Stabilizer:	50% (v/v) Glycerol

Shipping & Handling

Shipping Condition:	Dry Ice
----------------------------	---------

Storage Condition: Store vial at -20° C prior to opening. Aliquot contents and freeze at -20° C or below for extended storage. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Expiration: Expiration date is one (1) year from date of receipt.

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.