

## Datasheet for 606-4104

**Guinea Pig IgG F(ab')<sub>2</sub> Antibody****Overview**

|                      |  |
|----------------------|--|
| <b>Description:</b>  | Rabbit Anti-Guinea Pig IgG F(ab') <sub>2</sub> Antibody - 606-4104 |
| <b>Item No.:</b>     | 606-4104   |
| <b>Size:</b>         | 2 mg   |
| <b>Reactivity:</b>   | Guinea Pig   |
| <b>Host Species:</b> | Rabbit   |

**Product Details**

|                      |   |
|----------------------|---|
| <b>Background:</b>   | Anti-Guinea Pig IgG F(ab') <sub>2</sub> Antibody generated in rabbit is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme pepsin under controlled conditions of temperature, time and pH. F(ab') <sub>2</sub> molecules lack the Fc portion of IgG and therefore receptors that bind Guinea Pig IgG F(c) will not bind Guinea Pig IgG F(ab') <sub>2</sub> molecules. Secondary Antibodies are available in a variety of formats and conjugate types. When choosing a secondary antibody product, consideration must be given to species and immunoglobulin specificity, conjugate type, fragment and chain specificity, level of cross-reactivity, and host-species source and fragment composition. |
| <b>Synonyms:</b>     | Rabbit Anti-Guinea Pig IgG F(ab') <sub>2</sub> Antibody, Rabbit Anti Guinea Pig IgG F(ab') <sub>2</sub> Antibody, Rabbit Anti Guinea Pig IgG Fab <sub>2</sub> Fragment Antibody   |
| <b>Host Species:</b> | Rabbit  |
| <b>Specificity:</b>  | IgG F(ab') <sub>2</sub>   |
| <b>Clonality:</b>    | Polyclonal  |
| <b>Format:</b>       | IgG   |

**Target Details**

|                    |   |
|--------------------|---|
| <b>Reactivity:</b> | Guinea Pig                                  |
| <b>Immunogen:</b>  | Guinea Pig IgG F(ab') <sub>2</sub> fragment |

**Purity/Specificity:** This product was prepared from monospecific antiserum by immunoaffinity chromatography using Guinea Pig IgG coupled to agarose beads. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum, Guinea Pig IgG, Guinea Pig IgG F(ab')<sub>2</sub>, and Guinea Pig Serum. No reaction was observed against Guinea Pig IgG F(c).

## Application Details

**Application Note:** Anti-Guinea Pig IgG F(ab')<sub>2</sub> antibody is suitable for ELISA, western blot, and immunohistochemistry, as well as other assays requiring lot-to-lot consistency.

**Assay Dilutions:** All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.

**ELISA:** 1:20,000 - 1:100,000

**IHC:** 1:1,000 - 1:5,000

**WB:** 1:2,000 - 1:10,000

## Formulation

**Physical State:** Liquid (sterile filtered)

**Concentration:** 2.0 mg/mL by UV absorbance at 280 nm

**Buffer:** 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

**Preservative:** 0.01% (w/v) Sodium Azide

**Stabilizer:** None

## Shipping & Handling

**Shipping Condition:** Wet Ice

**Storage Condition:** Store vial at 4° C prior to opening. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing.

**Expiration:** Expiration date is one (1) year from date of receipt.

## Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.