

**Datasheet for 611-142-122****Rabbit IgG (H&L) Antibody DyLight™ 549 Conjugated Pre-Adsorbed****Overview**

|                      |                                                                                                                                   |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| <b>Description:</b>  | Goat Anti-Rabbit IgG (H&L) Antibody DyLight™ 549 Conjugated (Min X Bv Ch Gt GP Ham Hs Hu Ms Rt & Sh Serum Proteins) - 611-142-122 |
| <b>Item No.:</b>     | 611-142-122                                                                                                                       |
| <b>Size:</b>         | 100 µg                                                                                                                            |
| <b>Applications:</b> | Dot Blot, WB, IHC                                                                                                                 |
| <b>Reactivity:</b>   | Rabbit                                                                                                                            |
| <b>Host Species:</b> | Goat                                                                                                                              |

**Product Details**

|                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Background:</b>   | Anti-Rabbit IgG (H&L) DyLight 549 Antibody generated in goat detects reactivity to Rabbit IgG. Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as well as fungi and facilitates their destruction or neutralization via agglutination (and thereby immobilizing them), activation of the complement cascade, and opsonization for phagocytosis. The whole IgG molecule possesses both the F(c) region, recognized by high-affinity Fc receptor proteins, as well as the F(ab) region possessing the epitope-recognition site. Both the Heavy and Light chains of the antibody molecule are present. Secondary Antibodies are available in a variety of formats and conjugate types. When choosing a secondary antibody product, consideration must be given to species and immunoglobulin specificity, conjugate type, fragment and chain specificity, level of cross-reactivity, and host-species source and fragment composition. |
| <b>Synonyms:</b>     | Goat anti-Rabbit IgG Antibody DyLight™549 Conjugation, Goat anti-Rabbit IgG DyLight™ 549 Conjugated Antibody                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Host Species:</b> | Goat                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Specificity:</b>  | IgG (H&L)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Conjugate:</b>    | DyLight™ 549                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Clonality:</b>    | Polyclonal                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Format:</b>       | IgG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>F/P Ratio:</b>    | 4.2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

## Target Details

|                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reactivity:</b>         | Rabbit                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Immunogen:</b>          | Rabbit IgG whole molecule                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Purity/Specificity:</b> | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Rabbit IgG and Rabbit Serum. No reaction was observed against Bovine, Chicken, Goat, Guinea Pig, Hamster, Horse, Human, Mouse, Rat and Sheep Serum Proteins. This antibody will react with heavy chains of rabbit IgG and with light chains of most rabbit immunoglobulins. |

## Application Details

|                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Tested Applications:</b>    | Dot Blot, WB                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Suggested Applications:</b> | IHC (Based on references)                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Application Note:</b>       | Anti-Rabbit IgG (H&L) DyLight 549 Antibody has been tested by dot blot and western blot and is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms. The emission spectra for this DyLight™ conjugate match the principle output wavelengths of most common fluorescence instrumentation. |
| <b>Assay Dilutions:</b>        | All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>FLISA:</b>                  | >1:20,000                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>IF:</b>                     | >1:5,000                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>WB:</b>                     | >1:10,000                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

## Formulation

|                        |                                                                        |
|------------------------|------------------------------------------------------------------------|
| <b>Physical State:</b> | Lyophilized                                                            |
| <b>Concentration:</b>  | 1.0 mg/mL by UV absorbance at 280 nm                                   |
| <b>Buffer:</b>         | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2             |
| <b>Preservative:</b>   | 0.01% (w/v) Sodium Azide                                               |
| <b>Stabilizer:</b>     | 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free |

|                               |                                              |
|-------------------------------|----------------------------------------------|
| <b>Reconstitution Volume:</b> | 100 $\mu$ L                                  |
| <b>Reconstitution Buffer:</b> | Restore with deionized water (or equivalent) |

## Shipping & Handling

|                            |                                                                                                                                                                                                                                                                                                                                                 |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Shipping Condition:</b> | Ambient                                                                                                                                                                                                                                                                                                                                         |
| <b>Storage Condition:</b>  | Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. |
| <b>Expiration:</b>         | Expiration date is one (1) year from date of receipt.                                                                                                                                                                                                                                                                                           |

## Images


### Diagram


Properties of DyLight™ Conjugates.

| Emission      | Color                                                                               | DyLight™ Dye | Ex/Em (nm) | $\epsilon$ (M <sup>-1</sup> cm <sup>-1</sup> ) | Similar Dyes                       |
|---------------|-------------------------------------------------------------------------------------|--------------|------------|------------------------------------------------|------------------------------------|
| Blue          |  | 405          | 400/420    | 30,000                                         | Alexa™ 405, Cascade Blue           |
| Green         |  | 488          | 493/518    | 70,000                                         | Alexa™ 488, Cy2®, FITC             |
| Yellow        |  | 549          | 550/568    | 150,000                                        | Alexa™ 546, Alexa 555, Cy3®, TRITC |
| Red           |  | 649          | 646/674    | 250,000                                        | Alexa™ 647, Cy5®                   |
| Near Infrared |  | 680          | 682/715    | 140,000                                        | Alexa™ 680, Cy5.5®, IRDye™ 700     |
| Infrared      |  | 800          | 770/794    | 270,000                                        | IRDye™ 800                         |

### Western Blot

DyLight™ dyes can be used for two-color western blot detection with low background and high signal. Anti-tubulin was detected using a DyLight™ 549 conjugate. Anti-TNF $\alpha$  was detected using a DyLight™ 649 conjugate. The image was captured using the Typhoon™ 9410 Imaging System.






### Western Blot

Western blot of DyLight™ 549 conjugated Goat Anti-Rabbit IgG Pre-Adsorbed secondary antibody. Lane 1: Rabbit IgG. Lane 2: None. Load: 50 ng per lane. Primary antibody: None. Secondary antibody: DyLight™ 549 goat secondary antibody at 1:1,000 for 60 min at RT. Blocking: MB-070 for 30 min at RT. Predicted/Observed size: 25 & 55 kDa, 25 & 55 kDa for Rabbit IgG. Other band(s): None.

### Diagram

DyLight™ 549 Fluorescence Spectra.



## References

- Farmer SM et al. Rab4 spatially and functionally converges with Rab7 in the degradative endolysosomal network. *Mol Biol Cell.* (2026)
- Al Amin M et al. Histological Changes of the Mucosal Epithelium in the Chicken Intestine during Pre- and Post-Hatching Stages. *J Poult Sci.* (2025)
- Ando T et al. Absence of indoleamine 2,3-dioxygenase 2 promotes liver regeneration after partial hepatectomy in mice. *Mol Med Rep.* (2023)
- De Luigi A et al. Doxycycline hinders phenylalanine fibril assemblies revealing a potential novel therapeutic approach in phenylketonuria. *Scientific Reports* (2015)

## Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.