

Datasheet for 612-401-D64

GluR2 phospho S880 Antibody**Overview**

Description:	Anti-GluR2 pS880 (RABBIT) Antibody - 612-401-D64
Item No.:	612-401-D64
Size:	100 µL
Applications:	WB
Reactivity:	Rat
Host Species:	Rabbit

Product Details

Background:	GluR2 pS880 Antibody detects phosphorylated rat GluR2 protein. The ion channels activated by glutamate are typically divided into two classes. Those that are sensitive to N-methyl-D-aspartate (NMDA) are designated NMDA receptors (NMDAR) while those activated by α -amino-3-hydroxy-5-methyl-4-isoxalone propionic acid (AMPA) are known as AMPA receptors (AMPA). The AMPAR are comprised of four distinct glutamate receptor subunits designated (GluR1-4) and they play key roles in virtually all excitatory neurotransmission in the brain. The number of GluR2 subunits in the AMPA receptor complex affects the Ca ²⁺ permeability, rectification and single-channel conductance of AMPA receptors. Ser880 has been identified as the PKC phosphorylation site within the C-terminal region of GluR2 and has been shown to differentially regulate the interaction of the PDZ domain-containing proteins GRIP1 and PICK 1. GluR2 pS880 antibody is ideal for investigators involved in Neuroscience.
Synonyms:	Glutamate receptor 2, AMPA-selective glutamate receptor 2, GluR-B, GluR-K2, Glutamate receptor ionotropic, AMPA 2, GluA2
Host Species:	Rabbit
Clonality:	Polyclonal
Format:	IgG

Target Details

Gene Name:	Gria2
Reactivity:	Rat

PTM Specificity:	Phosphorylation
Immunogen Type:	Conjugated Peptide
Immunogen:	Anti-GluR2 pS880 Antibody was produced by repeated immunizations with synthetic phosphopeptide corresponding to amino acid residues surrounding Ser 880.
Purity/Specificity:	Anti-GluR2 pS880 Antibody is directed against phosphorylated rat GluR2 protein at S880. The antibody was affinity purified from monospecific antiserum by immunoaffinity purification. Expect reactivity with the following species based on 100% sequence homology: human, mouse, non-human primate and Zebrafish.
Relevant Links:	• UniProtKB - P19491 • GeneID - 29627 • NCBI - AAA41240.1

Application Details

Tested Applications:	WB
Application Note:	Anti-GluR2 pS880 (Rabbit) antibody is tested for use in Western Blotting. Specific conditions for reactivity should be optimized by the end user. Expect a band of approximately 100 kDa in size corresponding to GluR2 protein phosphorylated at Ser880 in the appropriate cell lysate or extract.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
WB:	1:1000

Formulation

Physical State:	Liquid
Buffer:	0.01 M HEPES, 0.15 M Sodium Chloride, pH 7.5
Preservative:	None
Stabilizer:	0.1 mg/ml Bovine Serum Albumin (BSA) - IgG and Protease free, 50% (v/v) Glycerol


Shipping & Handling

Shipping Condition:	Dry Ice
----------------------------	---------

Storage Condition:	Store vial at -20° C prior to opening. This product is stable at 4° C as an undiluted liquid. For extended storage, aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Dilute only prior to immediate use.
Expiration:	Expiration date is one (1) year from date of receipt.

Images

Anti-Phospho-Ser⁸⁸⁰ GluR2



Western blot of rat brain homogenate showing specific immunolabeling of the ~100k GluR2 protein phosphorylated at Ser⁸⁸⁰ (control). Immunolabeling is blocked by preadsorption with the phospho-peptide used as antigen (Peptide) but not by the corresponding dephospho-peptide (not shown).

Western Blot

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.