

Datasheet for D614-0050

Freund's Complete Adjuvant

Overview

Description:	Freund's Complete Adjuvant - D614-0050
Item No.:	D614-0050
Size:	50 mL
Applications:	Other

Product Details

Background:	Special formulation of adjuvant containing paraffin oil, surfactant and heat-killed <i>Mycobacterium butyricum</i> .
Synonyms:	Freund's Complete Adjuvant, CFA

Application Details

Suggested Applications:	Other (Based on references)
Application Note:	Freund's adjuvant may be used to form water-in-oil emulsions with antigens for the injection of immunogens for antibody production. Proper emulsion formation is essential and should be tested by observing a drop of the emulsion on the surface of water which should 'bead and not disperse. Antigens properly emulsified stimulate a strong and long-lasting immune response due to the slow release of antigen into the host's system.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.

Formulation

Physical State:	Liquid
Concentration:	1 X
Sterility:	Sterile
Preservative:	None
Stabilizer:	None

Shipping & Handling

Shipping Condition: Ambient

Storage Condition: Store vial at 4° C prior to opening. DO NOT FREEZE.

Expiration: Expiration date is one (1) year from date of receipt.

Images



Bottle
Freund's Complete Adjuvant

References

- Sata E. et al. A new enzyme-linked immunosorbent assay system against the N-terminal propiece of interleukin-1 α . *J Oral Sci.* (2020)
- O'shannessy, DJ et al. Novel antibody probes for the characterization of endosialin/TEM-1. *Oncotarget* (2016)
- Kato, K et al. Characterization of a Toxoplasma gondii calcium calmodulin-dependent protein kinase homolog. *Parasites & Vectors* (2016)
- O'shannessy, DJ et al. Characterization of the human folate receptor alpha via novel antibody-based probes. *Oncotarget* (2011)

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.