

Datasheet for KHB003**Biotin Anti-Rabbit IgG Antibody Maxtag™ Histo For IHC****Overview**

Description:	Biotin Anti-Rabbit IgG Antibody MaxTag™ Histo for IHC - KHB003
Item No.:	KHB003
Size:	1 Each
Applications:	IHC

Product Details

Background:	Biotin anti-Rabbit IgG Antibody reagent is specifically designed for the use in Rockland MaxTag™ Histo for Immunohistochemistry Kit.
Synonyms:	Biotin anti-rabbit IgG Antibody MaxTag™ Histo for IHC, Biotin anti-rabbit IgG MaxTag Histo for Immunohistochemistry
Conjugate:	Biotin
Detection Kit Type:	Immunohistochemistry Kit
Immunogen:	Rabbit IgG whole molecule

Application Details

Tested Applications:	IHC
Application Note:	See Kit insert for complete instructions.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.

Formulation

Physical State:	Liquid (sterile filtered)
Concentration:	1.0 mg/mL by UV absorbance at 280 nm
Buffer:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Preservative:	0.01% (w/v) Sodium Azide and 0.01% (w/v) Gentamicin Sulfate

Stabilizer: 10 mg/mL Bovine Serum Albumin (BSA) - IgG and Protease free, 50% (v/v) Glycerol

Shipping & Handling

Shipping Condition: Ambient

Storage Condition: See kit insert for complete instructions.

Expiration: See kit insert for complete instructions.

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.

www.rockland.com
tech@rockland.com
+1 484.791.3823