

## Datasheet for KOA0230

**Mouse IL-10 ELISA Kit****Overview**

|                      |                                            |
|----------------------|--------------------------------------------|
| <b>Description:</b>  | Mouse IL-10 AccuSignal ELISA Kit - KOA0230 |
| <b>Item No.:</b>     | KOA0230                                    |
| <b>Size:</b>         | 1 Kit                                      |
| <b>Applications:</b> | ELISA                                      |
| <b>Reactivity:</b>   | Mouse                                      |
| <b>Range:</b>        | 15.6 pg/ml - 1000 pg/ml                    |

**Product Details**

**Background:** Interleukin-10, also called cytokine synthesis inhibitory factor, is implicated in tumorigenesis, and it has been shown that polymorphisms in its gene promoter correlate with differential amounts of production. IL-10 is an important cytokine with anti-inflammatory, anti-immune, and antifibrotic functions. It is also an important regulatory cytokine whose involvement extends into diverse areas of the human immune system. IL-10 is a recently described natural endogenous immunosuppressive cytokine that has been identified in human, murine, and other organisms. IL-10 significantly affects chemokine biology, because human IL-10 inhibits chemokine production and is a specific chemotactic factor for CD8+ T cells. It suppresses the ability of CD4+ T cells, but not CD8+ T cells, to migrate in response to IL-8. Interleukin-10 gene polymorphisms and interleukin-10 production capability may contribute to the development of skin squamous cell carcinomas after renal transplantation. The interleukin-10 locus contributes to the heritability of psoriasis susceptibility. With regard to sudden infant death, IL-10 is of special interest. This is an immunoregulatory cytokine that plays an important role in the development of infectious disease. The mIL-10 gene is mapped to mouse chromosome 1 and the hIL-10 gene is also mapped to human chromosome 1. The standard product used in this kit is recombinant mouse IL-10, consisting of 160 amino acid with the molecular mass of 18KDa.

|                            |                                                                                                                                                                                                      |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Synonyms:</b>           | CSIF, Cytokine synthesis inhibitory factor, GVHDS, IL 10, IL-10, IL10, IL10_HUMAN, IL10A, Interleukin 10, Interleukin-10, Interleukin10, MGC126450, MGC126451, T cell growth inhibitory factor, TGIF |
| <b>Detection Kit Type:</b> | ELISA Kit                                                                                                                                                                                            |
| <b>Detection Range:</b>    | 15.6 pg/ml - 1000 pg/ml                                                                                                                                                                              |
| <b>Sensitivity:</b>        | <1 pg/ml                                                                                                                                                                                             |

## Target Details

|                            |                                                                                                                                                                                                                       |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Gene Name:</b>          | IL10                                                                                                                                                                                                                  |
| <b>Reactivity:</b>         | Mouse                                                                                                                                                                                                                 |
| <b>Immunogen:</b>          | Expression system for standard: E.coli; Immunogen sequence: S19-S178                                                                                                                                                  |
| <b>Purity/Specificity:</b> | Natural and recombinant mouse IL-10. There is no detectable cross-reactivity with other relevant proteins.                                                                                                            |
| <b>Relevant Links:</b>     | <ul style="list-style-type: none"><li>• <a href="#">UniProtKB - P18893</a></li><li>• <a href="#">NCBI - NP_034678.1</a></li><li>• <a href="#">GeneID - 16153</a></li><li>• <a href="#">KOA0230 Protocol</a></li></ul> |

## Application Details

|                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Tested Applications:</b> | ELISA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Application Note:</b>    | Useful in Sandwich ELISA for Quantitative Detection of Antigen. Aliquot 0.1ml per well of the 1000pg/ml, 500pg/ml, 250pg/ml, 125pg/ml, 62.5pg/ml, 31.2pg/ml, 15.6pg/ml mouse IL-10 standard solutions into the precoated 96-well plate. Add 0.1ml of the sample diluent buffer into the control well (Zero well). Add 0.1ml of each properly diluted sample of mouse cell culture supernates or serum to each empty well. It is recommended that each mouse IL-10 standard solution and each sample be measured in duplicate. |
| <b>Assay Dilutions:</b>     | All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Other:</b>               | DOE:<br>2-8° C - 02/16/19<br>-20° C - 08/17/19                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

## Formulation

|                       |       |
|-----------------------|-------|
| <b>Concentration:</b> | 1 Kit |
|-----------------------|-------|


## Shipping & Handling

|                            |         |
|----------------------------|---------|
| <b>Shipping Condition:</b> | Wet Ice |
|----------------------------|---------|

**Storage Condition:** Store vials at 4°C prior to opening. Centrifuge product if not completely clear after standing at room temperature. This product is stable for 6 months at 4°C as an undiluted liquid. Dilute only prior to immediate use. For extended storage freeze at -20°C or below for 12 months. Avoid cycles of freezing and thawing.

**Expiration:** See kit insert for complete instructions.

## Images



### ELISA

Mouse IL-10 AccuSignal ELISA Kit standard curve. Assay Range: 15.6pg/ml-1000pg/ml. Sensitivity: <1pg/ml.

## Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.