

Datasheet for KOA0421**Rat CXCL1 ELISA Kit****Overview**

Description:	Rat CXCL1 AccuSignal ELISA Kit - KOA0421
Item No.:	KOA0421
Size:	1 Kit
Applications:	ELISA
Reactivity:	Rat
Range:	15.6 pg/ml - 1000 pg/ml

Product Details

Background:	Chemokine(C-X-C motif) ligand 1(CXCL1) is a small cytokine belonging to the CXC chemokine family that was previously called GRO1 oncogene, GROalpha, KC, Neutrophil-activating protein 3 (NAP-3) and melanoma growth stimulating activity, alpha(MSGA-alpha). In humans, this protein is encoded by the CXCL1 gene. The gene for CXCL1 is located on human chromosome 4 amongst genes for other CXC chemokines. The mature form of CXCL1 is maximally 73 amino acids long. CXCL1 is secreted by human melanoma cells, has mitogenic properties and is implicated in melanoma pathogenesis. CXCL1 is expressed by macrophages, neutrophils and epithelial cells, and has neutrophil chemoattractant activity. This chemokine elicits its effects by signaling through the chemokine receptor CXCR2.CXCL1 decreased the severity of multiple sclerosis and may offer a neuro-protective function.
Synonyms:	C-X-C motif chemokine 1, chemokine ligand 1, fibroblast secretory protein, FSP, GRO, GRO protein alpha, GRO-alpha(1-73), GRO1, GRO1 oncogene, GROa, growth-regulated alpha protein, Keratinocyte-derived chemokine, mouse homolog of, Melanoma growth stimulatory activity, melanoma growth stimulatory activity alpha, MGSA, MGSA a, MGSA alpha, NAP 3, Neutrophil-activating protein 3, SCYB1, Small inducible cytokine subfamily B member 1
Detection Kit Type:	ELISA Kit
Detection Range:	15.6 pg/ml - 1000 pg/ml
Sensitivity:	<1 pg/ml

Target Details

Gene Name:	CXCL1
-------------------	-------

Reactivity:	Rat
Immunogen:	Expression system for standard: E.coli; Immunogen sequence: A25-K96
Purity/Specificity:	Natural and recombinant rat CXCL1. There is no detectable cross-reactivity with other relevant proteins.
Relevant Links:	• UniProtKB - P14095 • NCBI - NP_110472.1 • GenelD - 81503 • KOA0421 Protocol

Application Details

Tested Applications:	ELISA
Application Note:	Useful in Sandwich ELISA for Quantitative Detection of Antigen. Aliquot 0.1ml per well of the 1000pg/ml, 500pg/ml, 250pg/ml, 125pg/ml, 62.5pg/ml, 31.2pg/ml, 15.6pg/ml rat CXCL1 standard solutions into the precoated 96-well plate. Add 0.1ml of the sample diluent buffer into the control well (Zero well). Add 0.1ml of each properly diluted sample of rat cell culture supernatants, serum or plasma(EDTA) to each empty well. It is recommended that each rat CXCL1 standard solution and each sample be measured in duplicate.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.

Formulation


Anticoagulant:	Sodium EDTA
-----------------------	-------------

Shipping & Handling

Shipping Condition:	Wet Ice
Storage Condition:	Store vials at 4°C prior to opening. Centrifuge product if not completely clear after standing at room temperature. This product is stable for 6 months at 4°C as an undiluted liquid. Dilute only prior to immediate use. For extended storage freeze at -20°C or below for 12 months. Avoid cycles of freezing and thawing.
Expiration:	See kit insert for complete instructions.

Images

Rat CXCL1 ELISA Kit



ELISA

Rat CXCL1 AccuSignal ELISA Kit standard curve. Assay
Range: 15.6pg/ml-1000pg/ml. Sensitivity: <1pg/ml.

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.