

Datasheet for KOA0465

Human IL-17C ELISA Kit**Overview**

Description:	Human IL-17C AccuSignal ELISA Kit - KOA0465
Item No.:	KOA0465
Size:	1 Kit
Applications:	ELISA
Reactivity:	Human
Range:	125 pg/ml - 8000 pg/ml

Product Details

Background:	IL17C, also known as CX2, is a protein that in humans is encoded by the IL17C gene. IL17C is mapped to 16q24.3. The protein encoded by this gene is a T cell-derived cytokine that shares the sequence similarity with IL17. This cytokine was reported to stimulate the release of tumor necrosis factor alpha and interleukin 1 beta from a monocytic cell line. The expression of this cytokine was found to be restricted to activated T cells. IL17C is an essential autocrine cytokine regulating innate epithelial immune responses. It also plays an important role in the pathogenesis of inflammatory arthritis.
Synonyms:	CX2, Cytokine CX2, IL 17C, IL 21, IL-17C, IL17C, IL17C_HUMAN, Interleukin 17C, Interleukin-17C, MGC126884, MGC138401
Detection Kit Type:	ELISA Kit
Detection Range:	125 pg/ml - 8000 pg/ml
Sensitivity:	<10 pg/ml

Target Details

Gene Name:	IL17C
Reactivity:	Human
Immunogen:	Expression system for standard: E.coli; Immunogen sequence: H19-V197
Purity/Specificity:	Natural and recombinant human IL-17C. There is no detectable cross-reactivity with other relevant proteins.

Relevant Links:

- [UniProtKB - Q9P0M4](#)
- [NCBI - NP_037410.1](#)
- [GeneID - 27189](#)
- [KOA0465 Protocol](#)

Application Details

Tested Applications:	ELISA
Application Note:	Useful in Sandwich ELISA for Quantitative Detection of Antigen. Aliquot 0.1ml per well of the 8000pg/ml, 4000pg/ml, 2000pg/ml, 1000pg/ml, 500pg/ml, 250pg/ml, 125pg/ml human IL-17C standard solutions into the precoated 96-well plate. Add 0.1ml of the sample diluent buffer into the control well (Zero well). Add 0.1ml of each properly diluted sample of human cell culture supernates, serum or plasma(heparin, EDTA) to each empty well. It is recommended that each human IL-17C standard solution and each sample be measured in duplicate.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.

Formulation


Anticoagulant:	Heparin Sodium
-----------------------	----------------

Shipping & Handling

Shipping Condition:	Wet Ice
Storage Condition:	Store vials at 4°C prior to opening. Centrifuge product if not completely clear after standing at room temperature. This product is stable for 6 months at 4°C as an undiluted liquid. Dilute only prior to immediate use. For extended storage freeze at -20°C or below for 12 months. Avoid cycles of freezing and thawing.
Expiration:	See kit insert for complete instructions.

Images

Human IL-17C ELISA Kit



ELISA

Human IL-17C AccuSignal ELISA Kit standard curve. Assay Range: 125pg/ml-8000pg/ml. Sensitivity: <10pg/ml.

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.