

Datasheet for KOA0854

Mouse CD5L ELISA Kit**Overview**

| | |
|----------------------|---|
| Description: | Mouse CD5L AccuSignal ELISA Kit - KOA0854 |
| Item No.: | KOA0854 |
| Size: | 1 Kit |
| Applications: | ELISA |
| Reactivity: | Mouse |
| Range: | 156 pg/ml - 10,000 pg/ml |

Product Details

| | |
|----------------------------|--|
| Background: | CD5 antigen-like, also known as Sp alpha and AIM, is a protein that in humans is encoded by the CD5L gene. It is mapped to 1q21-q23 by fluorescence in situ hybridization. It is found that Aim expression is induced in mouse macrophages in response to loading with highly oxidized low density lipoprotein (oxLDL), and that Aim is expressed in foam cells within atherosclerotic lesions. Both the expression of Aim in lesions and its induction by oxLDL require Lxr /Rxr heterodimers. Aim-null macrophages are highly susceptible to oxLDL-induced apoptosis in vitro and undergo accelerated apoptosis in atherosclerotic lesions in vivo. Double knockout of Aim and Ldlr reduce atherosclerotic lesions. Therefore, it is concluded that AIM expression protects macrophages from apoptosis within atherosclerotic lesions, promoting early lesion development. |
| Synonyms: | AAC-11, AIM, API6, APOPTOSIS INHIBITOR 6, APOPTOSIS INHIBITOR OF MACROPHAGES, CD5 antigen like (scavenger receptor cysteine rich family), CD5 antigen-like, Cd5l, CD5L_HUMAN, CT 2, CT-2, Highly similar to ANTIGEN WC1.1 [Bos taurus], IgM associated peptide, IgM-associated peptide, Pdp, PRO229, SCAVENGER RECEPTOR CYSTEINE-RICH FAMILY, SP ALPHA, SP-alpha, Spalpha |
| Detection Kit Type: | ELISA Kit |
| Detection Range: | 156 pg/ml - 10,000 pg/ml |
| Sensitivity: | <10 pg/ml |

Target Details

| | |
|-------------------|------|
| Gene Name: | CD5L |
|-------------------|------|

| | |
|----------------------------|---|
| Reactivity: | Mouse |
| Immunogen: | Expression system for standard: NSO; Immunogen sequence: E22-V352 |
| Purity/Specificity: | Natural and recombinant mouse CD5L. There is no detectable cross-reactivity with other relevant proteins. |
| Relevant Links: | <ul style="list-style-type: none">• UniProtKB - Q9QWK4• NCBI - NP_033820.2• GenelD - 11801• KOA0854 Protocol |

Application Details

| | |
|-----------------------------|---|
| Tested Applications: | ELISA |
| Application Note: | Useful in Sandwich ELISA for Quantitative Detection of Antigen. Aliquot 0.1ml per well of the 10,000pg/ml, 5000pg/ml, 2500pg/ml, 1250pg/ml, 625pg/ml, 313pg/ml, 156pg/ml mouse CD5L standard solutions into the precoated 96-well plate. Add 0.1ml of the sample diluent buffer into the control well (Zero well). Add 0.1ml of each properly diluted sample of mouse cell culture supernates, serum or plasma (heparin, EDTA) to each empty well. It is recommended that each mouse CD5L standard solution and each sample be measured in duplicate. |
| Assay Dilutions: | All assays should be optimized by the user. Recommended dilutions (if any) may be listed below. |


Formulation

| | |
|-----------------------|----------------|
| Anticoagulant: | Heparin Sodium |
|-----------------------|----------------|

Shipping & Handling

| | |
|----------------------------|---|
| Shipping Condition: | Wet Ice |
| Storage Condition: | Store vials at 4°C prior to opening. Centrifuge product if not completely clear after standing at room temperature. This product is stable for 6 months at 4°C as an undiluted liquid. Dilute only prior to immediate use. For extended storage freeze at -20°C or below for 12 months. Avoid cycles of freezing and thawing. |
| Expiration: | See kit insert for complete instructions. |

Images

**ELISA**

Mouse CD5L ELISA Kit standard curve.

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.