Order online now!

www.rockland.com
tech@rockland.com
+1 484.791.3823

Datasheet for MB-022-1000

1X SDS-PAGE Destain Solution

Overview

Description:	1X SDS-PAGE Destain Solution (Ready-to-Use) - MB-022-1000
Item No.:	MB-022-1000
Size:	1 L
Applications:	SDS-PAGE

Product Details

Background:	Destain Solution is a uniquely formulated, ready-to-use reagent specifically designed for destaining Coomassie Blue stained polyacrylamide gels.
Synonyms:	1X SDS-PAGE Destain Solution, 1X Coomassie Blue Destain Solution, gel destain buffer

Target Details

Purity/Specificity:	1X SDS-PAGE Destain Solution contains alcohol and acetic acid in a proprietary combination to enhance sensitivity/noise ratio.

Application Details

Tested Applications:	SDS-PAGE
Application Note:	1X SDS-PAGE Destain Solution is ready-to-use as a working solution and requires no further dilution.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.

Formulation

Physical State:	Liquid
Concentration:	1 X
Buffer:	See application note.

Preservative:	None
Stabilizer:	None

Shipping & Handling

Shipping Condition:	Ambient
Storage Condition:	Store container at room temperature (18° to 26° C) prior to opening.
Expiration:	Expiration date is six (6) months from date of receipt.

Images

Bottle
1X SDS-PAGE Destain Solution (Ready-to-Use)

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.

www.rockland.com
tech@rockland.com
+1 484.791.3823