

Datasheet for MB-042**5.0 M Potassium Acetate****Overview**

Description:	5.0 M Potassium Acetate (untitrated) DEPC Treated - MB-042
Item No.:	MB-042
Size:	100 mL

Product Details

Background:	5.0 M Potassium Acetate (untitrated) DEPC TREATED - In molecular biology, potassium acetate is used to precipitate dodecyl sulfate (DS) and DS-bound proteins, allowing the removal of proteins from DNA. It is also used as a salt for the ethanol precipitation of DNA. Potassium acetate is used in mixtures applied for tissue preservation, fixation, and mummification. Potassium acetate is used as a catalyst in the production of polyurethanes.
Synonyms:	5.0 M Potassium Acetate Buffer

Target Details

Purity/Specificity:	This product was aseptically filtered through a Millipore 0.22 micron filter into clean, pre-sterilized containers. The product was tested on trypticase soy agar for 24 hours, 48 hours and 72 hours and was found to be negative for bacteria.
----------------------------	--

Application Details

Application Note:	This product is a 5.0M concentrated stock solution and should be diluted appropriately with distilled, deionized water or equivalent to its final working concentration. This buffer contains untitrated 5.0 M Potassium Acetate. Meticulously prepared using ultra pure reagents dissolved in highly polished pharmaceutical grade deionized water treated with diethyl pyrocarbonate (DEPC).
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.

Formulation

Physical State:	Liquid (sterile filtered)
------------------------	---------------------------

Concentration:	5.0M
Buffer:	See application note.
Preservative:	None
Stabilizer:	None

Shipping & Handling

Shipping Condition:	Ambient
Storage Condition:	Store container at room temperature (18° to 26° C) prior to opening.
Expiration:	Expiration date is six (6) months from date of receipt.

Images



Bottle

5.0 M Potassium Acetate (untitrated) DEPC Treated

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.

