

Datasheet for MB-070-010TF

Blocking Buffer for Fluorescent Western Blotting (Thimerosal Free) 10-Pack

Overview

Description:	Blocking Buffer for Fluorescent Western Blotting THIMEROSAL FREE 10-PACK (10 x 500 ml) - MB-070-010TF
Item No.:	MB-070-010TF
Size:	10 x 500 mL
Applications:	WB

Product Details

Background:	Fluorescence technology is widely used to detect proteins. However, many common visible fluorophores often result in considerable background fluorescence in the visible range. Visible fluorophores are rarely used for membrane-based protein detection because of this high background. IRDye™800, IRDye™700DX, Alexa Fluor® 680 and Cy5.5™ antibody and reagent conjugates are specifically designed for protein detection methods that use longer-wavelength, near-infrared (IR) fluorophores to visualize proteins in western blotting and other applications. IRDye™800 and IRDye™700DX fluoresce outside the range of most autofluorescence and therefore specific signal is sharply evident from any background giving the best possible signal-to-noise ratio. Detection levels in the picogram range on Western blots rival the sensitivity of chemiluminescence on film. IRDye™800 conjugates are also suitable for immunofluorescence microscopy using commercially available excitation/emission filters in the 780nm/820nm range. Dual simultaneous labeling in Western blots or microscopy is achieved when IRDye™800 conjugates are used in conjunction with IRDye™700 or Cy5.5™ conjugates. IRDye™800 and IRDye™700DX conjugates provide an ultra-sensitive and convenient alternative to standard chemiluminescent protein detection methods, as well as a valuable tool for multicolor imaging. Once reacted with the membrane and dried, IRDye™800 and IRDye™700DX conjugated antibody-protein complexes are very stable, and membranes can be stored protected from light, re-washed and/or rescanned. This blocking buffer is specifically formulated to achieve superior reproducible Western blotting images using this system.
Synonyms:	Multiplex Blocking Buffer, Fluorescent Blocking Buffer, Blocking Solution, Blocking Buffer Western Blot, IRDye Western Blot Blocking Buffer, Alexa Dye Blocking Buffer, DyLight Blocking Buffer

Target Details

Purity/Specificity:	Blocking buffer was prepared using ultra pure reagents dissolved in pharmaceutical grade water (WFI) and consists of a proprietary protein formulation in TRIS buffered saline at pH 7.6.
----------------------------	---

Application Details

Tested Applications:	WB
Application Note:	Optimum performance is achieved using this product undiluted. However, this blocking solution can often be diluted 1:1 in TBS without a significant loss of performance. This buffer was prepared using ultra pure reagents dissolved in pharmaceutical grade water (WFI) and consists of a proprietary protein formulation in TRIS buffered saline at pH 7.6.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
WB:	User Defined

Formulation

Physical State:	Liquid (sterile filtered)
Concentration:	1X X
Buffer:	See application note.

Shipping & Handling

Shipping Condition:	Wet Ice
Storage Condition:	Store vial at 4° C prior to opening. DO NOT FREEZE.
Expiration:	Expiration date is six (6) months from date of receipt.

Images

**Bottle**

Blocking Buffer for Fluorescent Western Blotting
THIMEROSAL FREE 10-PACK (10 x 500 ml)

References

- Samaddar M et al. Lysosomal polyamine storage upon ATP13A2 loss impairs β -glucocerebrosidase via altered lysosomal pH and electrostatic hydrolase-lipid interactions. *Cell Rep.* (2025)
- Brody AH et al. Alzheimer risk gene product Pyk2 suppresses tau phosphorylation and phenotypic effects of tauopathy. *Mol Neurodegener.* (2022)

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.