

Datasheet for PA00-06**Protein A Biotin Conjugated****Overview**

Description:	Protein A Biotin Conjugated - PA00-06
Item No.:	PA00-06
Size:	500 µg
Applications:	FC
Origin:	Staphylococcus aureus

Product Details

Background:	Protein A is a cell wall protein originating from the bacterium <i>Staphylococcus aureus</i> . Protein A binds to immunoglobulins through interaction with the IgG heavy chain within the Fc region. Affinity to Fc may vary depending on IgG species origins or subclasses. Protein A is predicted 42kDa based on sedimentation data and observed to run ~55-56kDa on SDS-Page. This high affinity property makes Protein A essential in the large scale purification of antibodies.
Synonyms:	ProA, <i>Staphylococcus</i> A protein, Protein A Biotin Conjugated
Species of Origin:	<i>Staphylococcus aureus</i>
Conjugate:	Biotin

Target Details

Purity/Specificity:	This product was prepared from chromatographically pure Protein A. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin and anti-Protein A.
----------------------------	---

Application Details

Suggested Applications:	FC (Based on references)
Application Note:	Protein A Biotin Conjugated is suitable as a detection agent for primary antibodies that are of the IgG isotype.
Assay Dilutions:	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.

ELISA:	1:20,000 - 1:200,000
IHC:	1:1,000 - 1:5,000
WB:	1:10,000 - 1:40,000


Formulation

Physical State:	Lyophilized
Concentration:	1.0 mg/mL by UV absorbance at 280 nm
Buffer:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Preservative:	0.01% (w/v) Sodium Azide
Stabilizer:	10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free
Reconstitution Volume:	500 µL
Reconstitution Buffer:	Restore with deionized water (or equivalent)

Shipping & Handling

Shipping Condition:	Ambient
Storage Condition:	Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.
Expiration:	Expiration date is one (1) year from date of receipt.

Images



ELISA

Signal response of Nobuto serum samples from 112 canids profiled with the F1-LPA. (A) Detection of F1 immunoreactivity was accomplished using a genus-specific secondary anti-IgG antibody. (B) Detection of F1 immunoreactivity was accomplished using biotinylated conjugates of staphylococcal protein A (p/n PA00-06), streptococcal protein G (p/n PG00-06), and staphylococcal protein A and streptococcal protein G (A/G), with sera diluted 1:20. The dashed line indicates the threshold for positive and negative samples using an S/N ratio of 10. FIG 2. PMID: 29695520.

References

- Jeffrey C Chandler et al. A Bead-Based Flow Cytometric Assay for Monitoring Yersinia pestis Exposure in Wildlife. *J Clin Microbiol.* (2018)

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.