

## Datasheet for PG00-45

**Protein G DyLight™ 800 Conjugated****Overview**

<b>Description:</b>	Protein G DyLight™ 800 Conjugated - PG00-45
<b>Item No.:</b>	PG00-45
<b>Size:</b>	100 µg
<b>Applications:</b>	Dot Blot
<b>Origin:</b>	Streptococcus sp.

**Product Details**

<b>Background:</b>	Protein G is a surface protein of two groups of Streptococcal bacteria that has the ability to bind immunoglobulins. Similar to Protein A, but with slightly different specificity, Protein G is an important agent in the purification of proteins due to its ability to bind the Fc region. While native Protein G binds to albumin, recombinant Protein G is designed to contain only immunoglobulin binding domains to ensure the maximum specific IgG binding capacity. Protein G is often immobilized on solid surface such as Sepharose™, latex or magnetic particles for IgG purification from ascites, serum or hybridoma culture media. Protein G is also coupled with reporter molecules such as a fluorescein, peroxidase, biotin, DyLight™ and other detection reagents.
<b>Synonyms:</b>	ProG, Streptococcus G protein, Protein G DyLight™ 800 Conjugated
<b>Species of Origin:</b>	Streptococcus sp.
<b>Conjugate:</b>	DyLight™ 800
<b>F/P Ratio:</b>	2.0

**Target Details**

<b>Purity/Specificity:</b>	Protein G DyLight™800 Conjugate is chromatographically pure recombinant Protein G and shows predominantly a single band by SDS-PAGE. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Protein G. No reaction was observed against anti-Protein A.
<b>Relevant Links:</b>	<ul style="list-style-type: none"><li>• <a href="#">UniProtKB - P19909</a></li></ul>

## Application Details

<b>Tested Applications:</b>	Dot Blot
<b>Application Note:</b>	Protein G DyLight™800 has been tested by dot blot and is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms. The emission spectra for this DyLight™ conjugate match the principle output wavelengths of most common fluorescence instrumentation.
<b>Assay Dilutions:</b>	All assays should be optimized by the user. Recommended dilutions (if any) may be listed below.
<b>FLISA:</b>	>1:20,000
<b>IF:</b>	>1:5,000
<b>WB:</b>	>1:10,000







## Formulation

<b>Physical State:</b>	Lyophilized
<b>Concentration:</b>	1.0 mg/mL by UV absorbance at 280 nm
<b>Buffer:</b>	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
<b>Preservative:</b>	0.01% (w/v) Sodium Azide
<b>Stabilizer:</b>	10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free
<b>Reconstitution Volume:</b>	100 µL
<b>Reconstitution Buffer:</b>	Restore with deionized water (or equivalent)

## Shipping & Handling


<b>Shipping Condition:</b>	Ambient
<b>Storage Condition:</b>	Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.
<b>Expiration:</b>	Expiration date is one (1) year from date of receipt.

## Images

Emission	Color	DyLight™ Dye	Ex/Em (nm)	$\epsilon$ (M <sup>-1</sup> cm <sup>-1</sup> )	Similar Dyes
Blue		405	400/420	30,000	Alexa™ 405, Cascade Blue
Green		488	493/518	70,000	Alexa™ 488, Cy2®, FITC
Yellow		549	550/568	150,000	Alexa™ 546, Alexa 555, Cy3®, TRITC
Red		649	646/674	250,000	Alexa™ 647, Cy5®
Near Infrared		680	682/715	140,000	Alexa™ 680, Cy5.5®, IRDye™ 700
Infrared		800	770/794	270,000	IRDye™ 800


### Diagram

Properties of DyLight™ Fluorescent Dyes.



### Western Blot

DyLight™ dyes can be used for two-color Western Blot detection with low background and high signal. Anti-tubulin was detected using a DyLight™ 680 conjugate. Anti-TNF $\alpha$  was detected using a DyLight™ 800 conjugate. The image was captured using the Odyssey® Infrared Imaging System developed by LI-COR.



### Diagram

## Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.